The following section list the most common LSF commands and explains what they do.

NOTE: If you need more detailed information about a command please use the manpages (man <command>).

| Command E | plaination |
|---|---|
| bjobs D | isplay the short status of your Jobs |
| bjobs -w D | isplay the short status of your Jobs - with "wide" fields |
| bjobs -l D | isplays all (=long) parameters of all (!) of your Job |
| bjobs -l jobid Ir | formation about a job with the specified jobid |
| bjobs -u all Li | ists every job of all (!) users in a short list |
| bjobs -q BatchXLs | hort listing of your jobs running in a queue called "BatchXL |
| man bjobs M | lore Information about the command |
| bsub job st | art command |
| bsub-b Dispa | tches the job for execution on or after the specified date and time |
| bsub -b 20:00 set the job begin time to 8 pm | |
| bkill (finish) one of your job with a jobid | |
| bqueues | displays queue overview about all queues |
| bqueues -l | displays detailed overview about all queues |
| bqueues -l BatchXL | _ displays detailed overview about the queues named BatchXL |
| bhosts Status o | f all compute node |
| bhosts -l detailed status of all compute nodes | |
| bhosts -gpu detailed | status of all nodes containing a gpu |
| man bhosts More Information about the command | |
| bhpart priority status of all users | |
| bacct | Displays accounting statistics about finished jobs |
| bacct -e | Displays accounting statistics about finished jobs with EXIT state |
| bacct -e -C 2022/01/14,2022/01/16 Displays accounting statistics in a certain time period with EXIT state | |
| bacct -d -C 2022/6 | Displays accounting statistics in a certain time period with DONE state |
| lsinfo | Provides information about the LSF configuration (Maschinetype, - /description -/model) and about the available resources. |
| lsmon | Displays continuous information about the loads on all compute and gpu nodes |
| lsload -gpuload | displays information about the gpu load on all gpu nodes |
| lsload -gpuload hostname | displays information about the gpu load on a certain host |
| lsload -gpuload -v hostname | $^{\prime}$ displays "wide" information about the gpu load on a certain host |

From: https://www1.tu-ilmenau.de/hpcwiki/ - **hpcwiki**

Permanent link: https://www1.tu-ilmenau.de/hpcwiki/doku.php?id=commands

Last update: 2022/07/28 17:15

